Appln. No. 10/729,532 Amendment dated August 17, 2006 Reply to Non-Final Office Action of April 17, 2006

RECEIVED CENTRAL FAX CENTER AUG 1 7 2006

AMENDMENT TO THE CLAIMS

Please amend the claims as indicated below.

- 1. (Currently amended) A method for energy management comprising:
- receiving energy rating data at an on-premise processor transmitted by a distribution network from a host processor and storing the energy rating data in a memory, the rating data including a schedule pertaining to time and energy costs;
- receiving at the on-premise processor a message communicated using an 802.15.4 based wireless communication link from a power load controller requesting energy rating data, wherein the message is communicated using a wireless communication link, the wireless communication link relaying the message through at least one other power load controller;
- retrieving the energy rating data from the memory and sending a response message including the energy rating data using the 802.15.4-based wireless communications link from the on-premise processor to the power load controller; and
- determining in the power load controller whether to generate an activation signal based at least in part on the energy rating data.
- 2. (Original) The method of claim 1 wherein the activation signal activates a power load.
- 3. (Original) The method of claim 1 wherein the activation signal activates a power generator.
- 4. (Original) The method of claim I wherein the energy rating data further comprises a first time period associated with a first usage rate and a second time period associated with a second usage rate.

Appln. No. 10/729,532

Amendment dated August 17, 2006

Reply to Non-Final Office Action of April 17, 2006

- 5. (Currently amended) The method of claim 2 wherein the power load controller determines whether to activate the power load [[is]] based further at least in part on the current time.
- 6. (Original) The method of claim 1 wherein the distribution network transmits the rating data wirelessly.
- 7. (Original) The method of claim 6 wherein the distribution network transmits the rating data wirelessly using an 802.15.4- based communications link.
 - 8. (Currently amended) A method for energy management, comprising:
 sending an energy rate request message from an appliance, wherein the request message
 is communicated using a 802.15.4-based wireless communication link, the
 wireless communication link relaying the message through at least one other
 appliance;
 - receiving an energy rate schedule at the appliance using the 802.15.4 based wireless communication link, the energy rate schedule comprising a first time period for a first usage rate and a second time period for a second usage rate; and determining in the appliance whether to activate a power load based in part on the energy rate schedule and a current time.
- 9. (Currently amended) The method of claim 6 further comprising[[:]] storing the energy rate schedule in a memory in the appliance.

Appln. No. 10/729,532 Amendment dated August 17, 2006 Reply to Non-Final Office Action of April 17, 2006

- 10. (Currently amended) A method for energy management comprising: receiving at an on-premise processor a first request message communicated using an 802.15.4-based wireless communication link from a power load controller pertaining to energy rating data, wherein the first request message is communicated using a wireless communication link, the wireless communication link relaying the first request message through at least one other power load controller;
- sending from the on-premise processor a second request message over a distribution network to the host processor, the second request message pertaining to energy rating data;
- receiving at the on-premise processor a first rating response message over the distribution network from the host processor, the second request first rating response message including energy rating data;
- sending from the on-premise processor to the power load controller a second rating response message using the 802.15.4-based wireless communication link, the second rating response message including the energy rating data; and determining in the power load controller whether to generate an activation signal based at least in part on the energy rating data.
- 11. (Currently amended) The system method of claim 10 wherein the activation signal activates a power load.
- 12. (Currently amended) The system method of claim 10 wherein the activation signal activates a power generator.
- 13. (Currently amended) The system method of claim 11 wherein the power load controller further determines whether to activate the power load based on the current time.

Appln. No. 10/729,532 Amendment dated August 17, 2006 Reply to Non-Final Office Action of April 17, 2006

- 14. (Currently amended) The system method of claim 10 wherein the energy rating data comprises a first time period associated with a first usage rate and a second time period associated with a second usage rate.
- 15. (Currently amended) The system method of claim 11 wherein the power load activated is one from the group of an air conditioning unit, an induction motor, a compressor, and a heating load.

16-74. (Canceled)

- 75. (New) The method of claim 1, wherein the wireless communications link further comprises an 802.15.4-based wireless communications protocol.
- 76. (New) The method of claim 8, wherein the wireless communications link further comprises an 802.15.4-based wireless communications protocol.
- 77. (New) The method of claim 10, wherein the wireless communications link further comprises an 802.15.4-based wireless communications protocol.